

ASSISTANT COMMISSIONER FOR PATENTS
Washington, D. C. 20231

09/14/99
JC583 U.S. PTO

PATENT APPLICATION

Case Docket No. **199-1135**

Date: September 10, 1999

Sir:

Transmitted herewith for filing is the patent application of Inventor(s):

Thom Foxlee
Richard Van House
John Williamson
James Schroer
John Felice
Andrew Sarkisian

For: **METHOD OF PROFILING NEW VEHICLES AND IMPROVEMENTS**

Enclosed are:

- ☒ 14 sheet(s) of drawings
- ☒ Assignment and Cover Sheet
- ☐ Information Disclosure Statement, PTO Form 1449, and Copies of Citations
- ☐ A certified copy of

The filing fee has been calculated as shown below for OTHER THAN A SMALL ENTITY:

<u>FOR</u>	<u>NO. FILED</u>	<u>NO. EXTRA</u>	<u>RATE</u>	<u>FEE</u>
Basic Fee				\$ 760
Total Claims	33	13	18	\$ 234
Indep Claims	3	0	78	\$ 0
Multiple Dependent Claims(s) Presented	0		260	\$ 0
			TOTAL	\$ 994

☒ Please charge Deposit Account No. 06-1510 in the amount shown next to the Total.
A duplicate copy of this sheet is enclosed.

☒ The Commissioner is hereby authorized to charge payment of the following fees associated with this communication or credit any overpayment to Deposit Account No. 06-1510. If there are insufficient funds in this account, please charge the fees to Deposit Account No. 06-1500. A duplicate copy of this sheet is enclosed.

Any additional filing fees required under 37 CFR 1.16.

Any patent application processing fees under 37 CFR 1.17.

☒ The Commissioner is hereby authorized to charge payment of the following fees during the pendency of this application or credit any overpayment to Deposit Account No. 06-1510. If there are insufficient funds in this account, please charge the fees to Deposit Account No. 06-1500.

Any patent application processing fees under 37 CFR 1.17.

Any filing fees under 37 CFR 1.16 for presentation of extra claims.

"Express Mail"

Mailing Label Number **EL442444880 US**

Date of Deposit **9-14-99**

I hereby certify that this paper or fee is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 CFR 1.10 on the date indicated above and is addressed to the Commissioner of Patents and Trademarks, Washington, D.C. 20231.

Natalie Woytylo
(Typed or printed name of person mailing paper or fee.)

Natalie Woytylo
Attorney Docket No. 199-1135
(Signature of person mailing paper or fee.)

Jerome R. Drouillard
Attorney or Agent of Record
Registration No. 28,008
Ford Global Technologies, Inc.
One Parklane Blvd.,
600 Parklane Towers East
Dearborn, MI 48126

Please call 313-322-7762 if this paper becomes separated from the file.

METHOD FOR PROFILING NEW VEHICLES AND IMPROVEMENTS

Background

5

The present invention relates generally to product development, and more particularly, to a method of positioning a brand and profiling product attributes for an intended customer market. More specifically, 10 the method concerns brand positioning and product profiling methods for personal and/or commercial use vehicles.

15 The primary goal of any durable goods manufacturer is to produce a product that is in demand by consumers. The purchasing decision of consumers, on the other hand, is influenced by many factors. These factors include: product cost, quality, convenience, design, safety, and prior brand or product experience, among other things. The marketing division of durable 20 goods manufacturers are generally concerned with identifying product attributes and correlating them to consumer segments. Many organizations, however, lack an organized systematic method of positioning a brand or a product to meet identifiable attribute targets or objectives which are customer driven. It is, 25 therefore, desirable to develop a marketing strategy which profiles brands or products according to identifiable customer-driven attributes. In this way, products or brands may be more closely correlated to 30 customer expectations or desires than with previously known marketing processes.

[illegible]

5

10

15

25

Brief Description Of The Drawings

For a more complete understanding of this invention, reference should now be had to the
5 embodiments illustrated in greater detail in the accompanying drawings and described below by way of examples of the invention. In the drawings:

Figure.1 is a flow chart of an example of a market inquiry process.

10 Figure 2 is an example of a vehicle brand positioning summary.

Figure 3 is an example of a vehicle brand bullseye chart for the brand summary of Figure 2.

15 Figures 4A through 4D are examples of a brand profiler form for use with one embodiment of the present invention.

Figures 5A through 5C are sample definitions supporting the brand profiler form of Figures 4A through 4D.

20 Figures 6A through 6C is a further example of a brand profiler form for use with one embodiment of the present invention.

25 Figures 7A through 7C are sample definitions supporting the board profiler form of Figures 6A through 6C.

Description Of The Preferred Embodiment(s)

With reference to the following Figures, a method of profiling a brand or a product for automotive
30 vehicles is described. It is to be understood, however, that the present brand/product profiling

method is equally applicable to marketing strategies for any durable good.

Referring now to Figure 1, a market inquiry process 10 is generally shown. In the market inquiry process 10, various multiple information inputs 12 are used to provide various information to the market inquiry process 10. Multiple information inputs may, for example, be collected by various local marketing groups located in the countries or regions of the country that the vehicle may be marketed. Examples of information include current styles and trends of the group to which the product will be marketed. Multiple information inputs 12 is used as inputs to a brand management process 14.

Brand management process 14 includes identifying a brand through which the product will be marketed. A brand may, for example, be an existing nameplate used by a manufacturer. Brand management includes the process of inquiring as to whether the particular product will satisfy the needs and/or wants of the particular brand that the product falls within.

After the various brand considerations are developed in the multiple markets through which the product will be marketed in step 16, block 18 includes the steps of forming a consensus with respect to brand integration from the various multiple markets and refines the goal for the new product. Block 18 may also be directly input from multiple information inputs 12 as well. These multiple information inputs may be different in time from those acquired in the brand management process 14. In block 18, a voice of the customer (VOC) process is implemented for evaluating the multiple information inputs according to what is

perceived as desired wants and needs of customers of the particular brand.

In block 20, a marketing strategy document is developed using the various inputs from the previously described steps. The development and content of the marketing strategy document will be further described below.

The marketing strategy document 20 is used in block 22 in the vehicle design and development process. Thus, the vehicle design and development process may be influenced by the marketing strategy document 20. By providing information to the vehicle design and development process 22, items such as design, package standard features, optional features, color, trim, and pricing may all be used to influence the vehicle design. Because this process is implemented early, and it is updated during the development process, changes are less expensive to implement.

Referring now to Figure 2, a product brand positioning summary 30 is included as part of the marketing strategy documentation. This summary 30 is information about the vehicle with respect to the particular market to which it will be marketed. It can relate either to an entirely new vehicle, or carryover vehicle brand positioning information can be used. The brand positioning 30 is an executive level document created very early in the product development life cycle. Because it incorporates customer and brand information resulting from the market inquiry process 10, it is used to drive the brand profiler as detailed below.

The brand positioning summary 30 includes several distinct fields which define a brand or product under consideration. For example, field 32 identifies

the target customer defining characteristics. For this particular product under consideration, these characteristics include: a strong desire to experience the "real" outdoors, being highly motivated and driven for success, and, a need to escape from the stress/pressure of weekdays to family-oriented weekend activities in the great outdoors. Such defining characteristics are derived from the voice of the customer and brand integration process identified in steps 12-18 of Figure 1. The customer defining characteristics 32 are related to a rationale for selecting the target customer as shown in field 34. The selection rationale for such customers include: aspirational targets, a high interest in truck capabilities, strong interests in sport utility vehicles (SUV), and, consider the vehicle as a way of rewarding themselves.

The product under consideration is then positioned with respect to its role in the brand or corporate portfolio of products. This summary is shown in field 36. For example, the product under consideration is to be the "rugged adventure" leader of the Ford SUV lineup. The vehicle is also to support the Ford Division core SUV attributes of confidence, ruggedness, refined looks, and versatility. It also reinforces the Ford truck heritage of "built Ford tough" and contributes to the Ford Division positioning as the industry leader providing the broadest SUV lineup.

The product role in the portfolio 36 is then contrasted against a competitive assessment field 38 which identifies competitive products and corresponding attributes. By summarizing the competitive products and attributes in this field, the brand positioning

attributes of the product under development can be readily identified as competitive or uncompetitive.

Some of the reasons why the target customer might buy the product under consideration are summarized in field 40. For example, the target customer might buy the product under development because of its capability to master any environment in that it balances off road capability, ride, comfort, and maneuverability. Another reason may be the product's superior comfort through innovative interior versatility, ergonomics, and advanced technology. The rugged styling, which provides a statement of the customer's success and adventurous lifestyle may also have an enduring influence on the customer's purchase decision. Another reason a target customer may purchase the product is that it is environmentally responsible in that it has the lowest emissions and highest recyclability of any competing product.

Finally, field 42 summarizes the pricing considerations for the product brand under consideration. In this case, the pricing considerations to be taken into account include: the price of other Ford Division products, the price of competitive products, and the premium brand image which is desired for the product.

The format of the brand positioning summary is important because it succinctly summarizes key customer and product attributes. To provide maximum benefit, the format of the brand positioning summary should remain constant from product to product with only the content changing. Thus, for example, if a new sports car were being developed, the six categories would remain the same. The content of each category, obviously, would be very different, however.

Closely related to the brand position summary 30 is the brand bullseye 50 shown in Figure 3. The brand bullseye 50 visually organizes the brand positioning summary 30 of Figure 2 to provide the core brand image or attributes common to the three areas of image/personality 52, product/service 54, and price/value 56. In this case, the core brand attributes are "rugged adventure" and "confident capability."

The brand bullseye 50 is similar to the brand positioning summary 30 in that it identifies similar product 54 and purchase information 56 but omits much of the customer characteristics (32, 34 of Figure 2). Instead, the brand bullseye 50 provides additional "color" to the new product by identifying attributes relating to its image or personality 52.

Because the brand bullseye 50 is an executive summary document like the brand positioning summary 30, and the two are strongly related, they are preferably created at the same time in the product development life cycle. These documents are created once the following steps have occurred: a brand management team has been formed; brand analysis has been conducted; target customer selection, description and needs have been identified; brand benefits have been identified; and a brand personality has been created. The goal of including target customer information is to succinctly describe the intended customer group such that the product team can visualize this audience. The brand team must understand the customer's deep-seeded needs and articulate these needs better than the customer.

Similarly, the brand personality condenses the personality intangibles into a few words (2 to 3) that capture the emotional side of the brand's connection to

the customer. In addition, price considerations appear on the brand positioning summary 30 and brand bullseye 50. Pricing considerations identify the net transaction price range, and state the price position relative to the key competition. This is stated as either higher, lower, or on parity with the competition. Once these steps have been completed, the brand positioning summary 30 and brand bullseye 50 are created to link the foregoing information in a way that clearly and simply articulates what the brand is all about.

Figures 4A through 4D show an example of a brand profile for a personal use vehicle. The brand profiler 60 includes several columns of information to be identified, ranked, and targeted as an objective for the product under consideration. The form itself is used to drive the VOC process and brand integration process into the new product.

The first column of the brand profiler 60 identifies the product attributes 62. Each attribute 62 is an identifiable feature of the generic product under consideration which in this case is an automotive vehicle for personal use. These attributes do not change. Thus, all new personal use vehicle brand profiles will have the same attribute list. The attributes are grouped according to the potential vehicle usage, the driving experience, environmental impact, including the occupant environment, vehicle design, special attributes for this particular vehicle, and other goals identified by customer-oriented market research which may be important attributes for the vehicle under consideration. Of course, if the product under development were something other than a personal

1544160"5456E50

use vehicle - a washing machine, for example - the attributes would be different.

In this example, vehicle usage attributes include: interior roominess, ergonomics/flexibility/ 5 comfort, luggage/cargo space, durability/craftsmanship, quietness, ease of entry/exit, range/fuel economy, climate control, exterior visibility, and cost of ownership.

Driving experience includes such things as: 10 performance/towing, ride, handling, braking, steering, transmission performance, and maneuverability.

Environmental attributes for personal use vehicles include: occupant safety, occupant security, emissions, recyclability, and the use of alternate 15 fuels/fluids.

Special features or other important attributes for, in this case, a SUV may include: the level of innovation, luxury considerations, entertainment, the ability to fit the vehicle in a 20 typical garage, and the vehicle's ability to support the corporate safety image.

The design attributes (Figure 4C) of the vehicle are summarized as a series of descriptive adjectives: sporty, youthful, expressive, family, 25 conservative, basic, substantial, tough, prestigious, elegant, and luxurious.

Each of the attributes 62 is placed in an attribute class 64 and given a priority or rank 66. These columns 64, 66 are initially blank and are filled 30 in as part of the product development process described below. Figure 4A shows the columns 64, 66 as they would appear for a completed brand profiler 60.

The attribute classes 64 comprise three groupings: D, I, and G. Group D represents a brand or product "differentiator." These are attributes which are considered extremely important to differentiate the brand from competitive brands or products. In other words, it is the basis on which the brand's personality is built. Group I are considered "important" brand benefits. These are attributes which are considered an important part of the brand's personality but which do not necessarily differentiate the product from competitive products. Group G are attributes which are considered "given" or necessary for the product under consideration. These are attributes whose priorities are determined by the cost of entry. In other words, within the cost constraints for the proposed product, these attributes will be included and/or maximized. These attributes, however, are improvements which are not considered critical to support the brand's personality. A fourth attribute class may also be included as NA, which means that the attribute is "not applicable" to this brand or vehicle type.

The next column in the brand profiler 60 of Figure 4A is the priority or rank 66. A priority 66 typically correlates to the attribute class 64 and further prioritizes each attribute 62. Thus, as can be seen in Figure 4A for a completed brand profiler 60, attributes which are considered brand "differentiators" are given a higher priority than "important" attributes which, in turn, are given a higher priority than "given" attributes. In this example, "interior roominess" is the attribute assigned the highest priority, whereas the vehicle's use of "alternative fuels or fluids" is given the lowest priority. Note that these priority rankings 66 and attribute classes

64 strongly correlate to the brand positioning summary 30 (Figure 2) and brand bullseye 50 (Figure 3). As mentioned above, this is due to the fact that the brand positioning summary 30 and brand bullseye 50 drive the development of the profiler 60.

The next two columns on the brand profiler 60 are the primary brand positioning column 68 and the nameplate brand positioning column 70. In both of these columns, 68 and 70, the designators L, A, C, and M are used to relate the attribute 62 under consideration to the desired brand position 68, or product position 70. The primary brand positioning in column 68 represents, for example, "Ford," "Mercury" or "Lincoln"; whereas the nameplate brand positioning column 70 represents a specific product within that brand, such as the "Ford Expedition" or "Ford Explorer".

The primary brand positioning 68 is consistent for the given brand (i.e., Ford) and, therefore, the appropriate designators (i.e., L, A, C, M) are circled by the marketing personnel responsible for brand management. In contrast, the nameplate brand positioning 70, like the attribute class 64 and priority/rank 66, is completed as part of the brand profiling process described below. Throughout the brand profiler 60, the designator L represents leadership. These are attributes that should set the brand apart from other vehicles within the competitive set. These attributes represent the basis on which the brand's personality is built. Typically, such attributes would also be grouped as differentiators within the attribute class 64 and be considered attributes with high priority 66. Preferably, leadership attributes for the product under development

would be considered approximate 10 percent improvements over the competitive set. Thus, for example, if the attribute 62 "interior roominess" was designated as a leadership attribute, it should have approximately 10 percent more interior roominess than the competitive set.

The competitive set is comprised of competitor products that are used as current and future benchmarks against the vehicle under development. Various characteristics of a vehicle are chosen when determining a competitive set. Vehicles having "best in class" features for the attribute under consideration are typically chosen.

The designator A within the brand profiler 60 represents an attribute which must be "among the leaders" in the competitive set. These are attributes in which the brand must be as good as the best in the competitive set to support its positioning. These attributes may be considered as required to score in the top 25 percent of the competitive set.

Designator C in the brand profiler 60 represents "competitive" attributes. These are attributes in which the brand must be in line with the competitive set, but they are not considered critical to support the brand's personality. These are attributes which may be considered to rank in the top 25th to 75th percentile among the competitive set.

Designator M represents attributes to be given "minimal investment." These attributes are not considered relevant to supporting the brand and, if required at all, they should be met at the lowest possible cost.

The primary brand positioning column 58 and nameplate brand positioning column 70 represent ideal goals for the brand positioning of the product under development. Thus, for example, they represent the "Ford" primary brand and "Expedition" nameplate ideals, respectively, independent of constraints such as investment and engineering hurdles, and market changes such as new competitors or regulatory actions. They are customer-driven and strongly relate to the brand positioning summary 30 and brand bullseye 50. These columns are then related to the program specifics column 72, which is subdivided into a target/objectives column 74 and a status column 76.

Both the target/objectives column 74 and status column 76 include the L, A, C, M designators discussed above with respect to the brand positioning column 68, 70. Again, like the nameplate brand positioning column 68, the columns 74, 76 are completed as part of the brand profiling process.

The target/objectives column 74 represents tradeoffs necessary to achieve the desired nameplate brand positioning 70 for the current product under development. Thus, for example, the nameplate brand positioning may represent the ideal "Ford Expedition" SUV, but the target/objective 74 will represent only the "Ford Expedition" for model year 2001. The target/objective column 74 may or may not have the same descriptors (i.e. L, A, C, M) circled for each attribute as the nameplate brand positioning column 68 due to cost, time, or technology constraints. The process of identifying the target/objectives designator for each attribute 62 will be discussed in further detail below with reference to the brand profiling process. The status column 76 represents the progress

made towards achieving the target/objective for each attribute 62 during the product development cycle.

The present nameplate entry column 78 represents the attribute positioning for the existing product which the product under development is improving upon or replacing. Again, one designator selected from the set of L, A, C, U, is chosen for each attribute 62 and circled. Preferably, these entries are data driven as much as possible. In this case, the designator U represents an "uncompetitive" attribute.

It is analogous to the designator M (minimal investment) identified in the preceding columns 68-76 for the product under development. Since the present nameplate entry is already in existence, the designator U more accurately describes the attribute as uncompetitive, whereas for the product under development, the designator M more accurately represents attributes where few resources should be committed.

Alternatively, if no current brand exists, a target competitor can be recorded and profiled in the present nameplate column 78.

The last column of the brand profiler 60 is the detailed definition column 80. This column 80 provides a summary description of each attribute 62 to place the attribute 62 in a more proper context for the product under consideration. The detailed definition provides "texture" or "color" for the specific attribute. For example, for the driving experience attribute of "ride," the definition "a smooth ride on all surfaces and in all conditions" provides additional guidance to the product development team with respect to this attribute. For a truck or a passenger vehicle, this definition gives meaning to the attribute "ride."

In contrast - for a sports car - "ride" may be defined as "maximum responsiveness and driver feedback on all surfaces." The detailed definitions are developed as part of the brand profiling process which will be described in further detail below.

Figures 5A through 5C are part of the brand profiler 60 and complement the detailed definition column 80 for each attribute 62. As can be seen, a definition or clarification 82 for each attribute 62 is provided. These definitions 82 differ from the detailed definitions 80 in that they do not change for each product or brand under development, whereas the detailed definitions 80 may be modified for each new product. For instance, using the driving experience attribute of "ride," (Figure 5B) the definition 82 provides "how the vehicle drives over different surface conditions and terrain." As noted above, in contrast, the detailed definition 80 for the same attribute required "a smooth ride on all surfaces and in all conditions." Thus, the definition/clarification column 82 merely provides guidance in developing a detailed definition 80 for each attribute 62. Like the attributes 62, the detailed definitions 80 are provided as part of the brand profiler form 60.

Referring again to Figures 4C and 4D, a significant aspect of the brand profiler 60 is that the design attributes 84 are prioritized differently from the remaining attributes 62. As mentioned above, the design attributes comprise a group of styling descriptors. These include sporty, youthful, expressive, family, conservative, basic, substantial, tough, prestigious, elegant, and luxurious. Because design plays such an important role in durable goods purchases, and automotive vehicles in particular, the

design attributes are treated differently from, and provided with additional gradients of design image, than the remaining vehicle attributes.

In this example, each of the design descriptors 84 is given a priority value from low (1) to high (10). It follows in this case that the design descriptors 84 of "family" and "substantial" are given high priority since the attributes 62 of "interior roominess" and "luggage/cargo space" are given high priority and classified as an attribute differentiator for this particular vehicle. Similar to the other attributes, however, the design descriptors are provided with a detailed definition 80 to help place the descriptor and its corresponding priority in context for the particular vehicle under development. These definitions 80 give life to the design descriptors 84 to help focus the designers on the desired attribute.

Referring again to Figure 5C, each of the design descriptors 84 is also given a definition/clarification in the definition column 82. Thus, the definition/clarification for the design descriptor "family" reads "roomy, spacious, easy to use, safe/secure, non-aggressive, quiet, understated, universal. Relatively large passenger and cargo areas, functional and safe looking design elements." Examples of existing products considered to fit this definition/clarification may also be included in the definitions column 82. Examples for the design descriptor "family" may include such vehicles as the Ford Windstar or Mercury Villager minivans.

Figures 6A-6C and 7A-7C show other examples of a brand profiler 90 and corresponding definition and clarification table 92 for a commercial vehicle. The

brand profiler for the commercial vehicle 90 is similar to that of the brand profiler 60 for a personal use vehicle with the exception that it emphasizes attributes considered important by the commercial enterprise owner, such as size, payload, and cost of ownership. Similarly, the design descriptors for the commercial vehicle brand profiler 90 differ from those of the personal use vehicle brand profiler 60 with particular emphasis on the work-like, functional nature of commercial vehicles.

The function of the brand profilers 60, 90 is to drive customer needs, wants, and desires into the engineering and development process of a new vehicle. Brand profiler 60, 90 aligns the primary and nameplate brand and key market customer requirements to the product development planning process. Preferably, the brand profiler 60, 90 is updated at relevant times in the product development life cycle. For example, an initial brand profiler may be developed at product kickoff when key markets and associated brand positionings 30 are identified. In addition, a brand profiler 60, 90 is preferably developed for each key market in which the product is intended to be sold. As further market research is conducted and information gathered with respect to the potential new product, the brand profiler 60, 90 may then be updated as necessary to reflect the latest data since the initial brand profiler was created. Such data may include updated consumer needs, concept/implementation-ready technology trends, corporate and regulatory must and wants, competitive set scenario models, competitor strategic reviews, vehicle alternatives, alternative components, program assumptions, and quality information. By updating the brand profiler 60, 90, the intent is to

align consumer dominant needs to the product development by reviewing and agreeing upon the initial brand profiler and prioritizing vehicle attributes and design images.

5 The use of the brand profiler 60 to achieve customer driven product development, i.e., the brand profiling process, will now be described with reference to Figure 4A. The brand profiler 60 is a tool used to expand the nameplate brand positioning summary 30.

10 This tool enables marketing personnel to articulate, specifically and consistently to the product development team, the profile of product attributes required to support the nameplate brand positioning and to reconcile this within time, budget and regulatory

15 constraints. The brand profiler 60 is specially designed to act as the focus for a conversation among a cross-functional product team (CFPT) as is described below. The first iteration of the profiler represents the ideal product attribute configuration to support

20 the brand positioning in the market place. The brand profiler 60 will then highlight any movement away from the ideal positioning which occurs as part of the trade-off process during the program. This tool provides a process check to ensure that the brand

25 positioning can be supported by the program.

 The use of the brand profiler 60 is driven by the brand positioning summary 30 and brand bullseye 50 which are developed earlier in the product development cycle. The brand positioning summary 30 and brand

30 bullseye 50 are high level documents created very early in the product development cycle as an executive summary of key customer and brand attributes for the new product. Given the brand positioning summary 30 and brand bullseye 50, the primary brand positioning column

68 of the brand profiler 60 is completed by the marketing division responsible for brand development within the organization. In other words, the brand profiler 60 initially comprises only the attributes 62 and a corresponding primary brand positioning designator such as L, A, C, or M. If a present nameplate entry exists for the new product, the present nameplate entry column 78 is also completed by circling an appropriate attribute designator.

Using the brand bullseye 50 and brand positioning summary 30 as product development catalysts, a cross-functional product team (CFPT) completes the attribute class column 64, priority column 66, nameplate brand positioning column 70, target/objectives column 74, the status column 76, and the detailed definition column 80. The cross-functional product team preferably consists of at least one member from each of vehicle program management, marketing, purchasing, finance, engineering, and design. For example, a CFPT may include the engineering manager, product manager, a design representative, purchasing personnel, a finance representative, and marketing personnel. Marketing personnel would preferably include employees responsible for marketing plans, brand development, advertising, and market research.

The profiling process is completed by making trade-offs in terms of prioritizing each attribute to meet the customer needs/wants/desires within time, technology, and budgetary constraints, and government regulations. The process of achieving agreement on the target/objectives column 74 is an important part of the brand profiler process. These targets/objectives, which are based on customer needs and wants, drive the

program product decisions. To achieve agreement, it is helpful that key decision makers from each of the groups identified in the CFPT participate. These participants should be well-prepared and have a detailed understanding of the brand positioning summary 30, brand bullseye 50 and target customer.

Starting with the attribute class 64, the CFPT must delineate these unique, enduring qualities that will set the brand apart from the competition (differentiators) and those attributes required to compete within the product segment (givens). The class column 64 aids the CFPT in completing the priority ranking 66.

Assuming the primary brand and ideal nameplate brand columns 68, 70 are completed, the CFPT agrees on target/objectives based on the positioning of the current product entry 78 and the hurdles which must be overcome to achieve the ideal nameplate brand 70.

The detailed definition column 80 is used to capture the interpretation of the attribute in customer terms.

Most customers want their vehicles to handle well, but the interpretation is different for a large luxury vehicle and a small sports car. Once the brand profiler has been completed, it is used to give the product development team direction and drives the development of the engineering specifications for the new product.

While the invention has been described in connection with one or more embodiments, it is to be understood that the specific mechanisms and techniques which have been described are merely illustrative of the principles of the invention. Numerous modifications may be made to the methods described without departing from the spirit and scope of the invention as defined by the appended claims.

What Is Claimed Is:

1. A method of developing product characteristics for a new product comprising the steps of:

5 generating a plurality of product attributes;
 classifying each of said attributes;
 generating a preferred product brand position
as a function of said product attributes; and
 generating target product characteristics as
10 a function of said classified product attributes and
said preferred product brand position, said target
product characteristics representing customer-driven
objectives for each of said plurality of product
attributes.

15 2. A method as recited in claim 1 wherein
the step of generating a plurality of product
attributes comprises the steps of providing a plurality
of summary attributes and a clarifying definition for
each of said summary attributes, said clarifying
20 definition providing a relationship between each of
said product attributes and the type of product under
development.

3. A method as recited in claim 1 wherein
the step of generating a plurality of product
25 attributes includes the step of providing a detailed
definition for each of said product attributes, each of
said detailed definitions providing a context for each
attribute as it relates to the product under
development.

30 4. A method as recited in claim 1 wherein
the step of classifying each of said attributes

includes the step of placing each attribute in one of three classes wherein said first class represents attributes which differentiate the product from competing products, said second class represents
5 important attributes, but which do not differentiate the new product from competing products, and said third class represents otherwise desirable product attributes.

5. A method as recited in claim 1 further
10 comprising the step of ranking each of said product attributes.

6. A method as recited in claim 4 further comprising the step of ranking each of said product attributes, said rank being related to each of said
15 classes such that each of said attributes in said first class have a higher rank than each of said attributes in said second class and each of said attributes in said second class have a higher rank than each of said attributes in said third class.

7. A method as recited in claim 1 further
20 comprising the step of generating a primary brand position as a function of said product attributes.

8. A method as recited in claim 1 further comprising the step of generating a present product
25 brand position as a function of said product attributes.

9. A method as recited in claim 1 wherein the step of generating a preferred product brand position as a function of said product attributes
30 includes the steps of identifying a competitive set of products, and associating each of said product

attributes with a preferred competitive level with respect to said competitive set.

10. A method as recited in claim 9 wherein the step of associating each of said product attributes with a preferred competitive level with respect to said competitive set includes the step of prioritizing each product attribute in one of four levels, said first level representing a desire for the product attribute to be a leader (L) with respect to the competitive set, said second level representing a desire for the product attribute to be among the leaders (A) with respect to the competitive set, said third level representing a desire for the product attribute to be competitive (C) with respect to the competitive set, and said fourth level representing a desire for the product attribute to be minimally competitive (M) with respect to the competitive set.

11. A method as recited in claim 7 wherein the step of generating a primary brand position as a function of said product attributes includes the steps of identifying a competitive set of products, and associating each of said product attributes with a preferred competitive level with respect to said competitive set.

12. A method as recited in claim 11 wherein the step of associating each of said product attributes with a preferred competitive level with respect to said competitive set includes the step of prioritizing each product attribute in one of four levels, said first level representing a desire for the product attribute to be a leader (L) with respect to the competitive set, said second level representing a desire for the product

attribute to be among the leaders (A) with respect to the competitive set, said third level representing a desire for the product attribute to be competitive (C) with respect to the competitive set, and said fourth
5 level representing a desire for the product attribute to be minimally competitive (M) with respect to the competitive set.

13. A method of developing product characteristics for a new automotive vehicle comprising
10 the steps of:

generating a plurality of vehicle attributes, said plurality including at least attributes from each of the following groups of vehicle characteristics: usage experience, driving experience, and design;

15 generating a preferred vehicle brand position as a function of said vehicle attributes; and

generating target vehicle characteristics as a function of said vehicle attributes and said preferred vehicle brand position, said target vehicle
20 characteristics representing customer-driven objectives for each of said plurality of vehicle attributes.

14. A method as recited in claim 13 wherein the step of generating a plurality of vehicle attributes comprises the steps of providing a plurality
25 of summary attributes and a clarifying definition for each of said summary attributes said clarifying definition providing further detail relating each of said vehicle attributes to a vehicle characteristic.

15. A method as recited in claim 13 wherein
30 the step of generating a plurality of vehicle attributes includes the step of providing a detailed definition for each of said vehicle attributes each of

1544-5550
said detailed definitions providing a context for each attribute as it relates to the vehicle under development.

16. A method as recited in claim 13 further comprising the step of classifying each of said vehicle attributes.

17. A method as recited in claim 16 wherein the step of classifying each of said vehicle attributes includes the step of placing each attribute in one of three classes wherein said first class represents attributes which will differentiate the vehicle from competing vehicles, said second class represents important attributes, but which do not differentiate the vehicle from competing vehicles, and said third class represents otherwise desirable vehicle attributes.

18. A method as recited in claim 13 further comprising the step of ranking each of said vehicle attributes.

19. A method as recited in claim 17 further comprising the step of ranking each of said vehicle attributes, said rank being related to each of said classes such that each of said attributes in said first class have a higher rank than each of said attributes in said second class and each of said attributes in said second class have a higher rank than each of said attributes in said third class.

20. A method as recited in claim 13 further comprising the step of generating a primary brand position as a function of said vehicle attributes.

21. A method as recited in claim 13 further comprising the step of generating a present product brand position as a function of said vehicle attributes.

5 22. A method as recited in claim 13 wherein the step of generating a preferred vehicle brand position as a function of said vehicle attributes includes the steps of identifying a competitive set of
10 products, and associating each of said vehicle attributes with a preferred competitive level with respect to said competitive set.

23. A method as recited in claim 22 wherein the step of associating each of said vehicle attributes with a preferred competitive level with respect to said
15 competitive set includes the step of prioritizing each vehicle attribute in one of four levels, said first level representing a desire for the vehicle attribute to be a leader (L) with respect to the competitive set, said second level representing a desire for the vehicle
20 attribute to be among the leaders (A) with respect to the competitive set, said third level representing a desire for the vehicle attribute to be competitive (C) with respect to the competitive set, and said fourth level representing a desire for the vehicle attribute
25 to be minimally competitive (M) with respect to the competitive set.

24. A method as recited in claim 20 wherein the step of generating a primary brand position as a function of said vehicle attributes includes the steps
30 of identifying a competitive set of products, and associating each of said vehicle attributes with a

preferred competitive level with respect to said competitive set.

25. A method as recited in claim 24 wherein the step of associating each of said vehicle attributes with a preferred competitive level with respect to said competitive set includes the step of prioritizing each vehicle attribute in one of four levels, said first level representing a desire for the vehicle attribute to be a leader (L) with respect to the competitive set, said second level representing a desire for the vehicle attribute to be among the leaders (A) with respect to the competitive set, said third level representing a desire for the vehicle attribute to be competitive (C) with respect to the competitive set, and said fourth level representing a desire for the vehicle attribute to be minimally competitive (M) with respect to the competitive set.

26. A method as recited in claim 16 wherein the step of classifying each of said attributes includes the step of classifying design attributes differently than usage experience attributes and driving experience attributes.

27. A method as recited in claim 26 wherein the step of classifying each of said attributes includes the step of classifying each design attribute on a scale having more gradients than the classification scale for classifying usage experience attributes or driving experience attributes.

064F60"5456E60

28. A method of developing product characteristics for a new automotive vehicle comprising the steps of:

- 5 generating a plurality of vehicle attributes, said plurality including at least attributes from each of the following groups of vehicle characteristics: usage experience, driving experience, and design;
- providing target customer characteristics;
- providing target vehicle image
- 10 characteristics; thereafter
- generating a preferred vehicle brand position as a function of said vehicle attributes, said target customer characteristics, and said target vehicle image characteristics; and
- 15 generating target vehicle objectives as a function of said vehicle attributes and said preferred vehicle brand position, said target vehicle objectives representing customer-driven and image-driven characteristics for each of said plurality of vehicle
- 20 attributes.

29. A method as recited in claim 28 wherein the step of providing target customer characteristics comprises the step of providing a brand positioning summary.

- 25 30. A method as recited in claim 29 wherein said brand positioning summary includes target customer defining characteristics, target customer selection rationales, a summary of the new vehicles' role in the product portfolio, a competitive assessment, enduring
- 30 reasons why a customer may purchase the new vehicle, and pricing considerations.

31. A method as recited in claim 28 wherein the step of providing target vehicle image characteristics comprises the step of providing a brand bullseye.

5 32. A method as recited in claim 28 further comprising the step of providing a cross-functional product team and wherein said cross-functional product team is responsible for the steps of generating a
10 preferred vehicle brand position and generating target vehicle objectives.

33. A method as recited in claim 32 wherein said cross-functional product team includes at least one member from each of the following corporate departments: . vehicle program management, marketing,
15 purchasing, finance, engineering, and design.

Abstract Of The Disclosure

5 A method of developing product characteristics for a new automotive vehicle comprising the steps of: generating a plurality of vehicle attributes including usage experience attributes, driving experience attributes, and design attributes; classifying each of the attributes; generating a preferred vehicle brand position as a function of the vehicle attributes; and, generating target vehicle characteristics as a function of the vehicle attributes and the preferred vehicle brand position. In this manner, the target vehicle characteristics represent customer-driven objectives for each of the plurality of vehicle attributes. An advantage of the present method is that it provides customer-driven products with identifiable brand images.




FIG. 1




FIG. 3

664760" 5545660

Brand Positioning Summary

<p>32</p> <p>Target Customer Defining Characteristics</p> <ul style="list-style-type: none"> • Strong desire to experience the "real" outdoors. True adventure. • Highly motivated & driven for success and achievement. • Need to escape from the stress / pressure of their weekdays to family oriented weekend activities in the Great Outdoors. 	<p>30 34</p> <p>Target Customer Selection Rational</p> <p>Needs Based Segmentation:</p> <p>Target Segment - Big, Rugged, and For Me.</p> <p>Key Adjacent / Consumption Segments - Workhorse, Comfortable Shuttle</p> <ul style="list-style-type: none"> • Provides Aspirational Target - Outdoor activity image leaders. • Strong positive halo for Ford Primary and Ford Division SUV line-up. • High interest in Truck capabilities (e.g. 4X4, Towing and Hauling). • Strong interest in SUV. Needs +7 passenger seating. • Vehicle is a way of rewarding themselves.
<p>Role in Portfolio</p> <ul style="list-style-type: none"> • The "Rugged Adventure" leader of the Ford SUV line-up. • Supports the Ford Division core SUV DNA of Confident, Rugged, Refined and Versatile. • Reinforces Ford Truck Heritage - Built Ford Tough SUV. • Contributes to Ford Division positioning as the industry leader providing the broadest SUV line-up. <p>36</p>	<p>Competitive Assessment</p> <p>[Identify and summarize competitive products and corresponding attributes]</p> <p>38</p>
<p>Enduring Why Buys</p> <ul style="list-style-type: none"> • Capability to master any environment. Best balance of true off-road capability, ride comfort and maneuverability. • Superior comfort through innovative interior versatility, ergonomics and advanced technology. • Rugged styling providing a statement of my success and adventurous lifestyle • Environmentally responsible. Lowest emissions and highest recyclability. <p>40</p>	<p>Pricing Considerations</p> <ul style="list-style-type: none"> • Pricing actions must insure adequate walk in terms of MSRP, transaction price and customer payment relative to other Ford Division SUV entries. • Showroom priced between the competition. • Pricing and variable marketing execution must be consistent with Premium Brand image. <p>42</p>

FIG. 2

Brand Profiler - Personal Use Vehicle

60 → 62 64 66 68 70 74 76 78 80

Attribute	Attribute Class	Priority (Rank)	Primary Brand Positioning	Nameplate Brand Positioning	Program Specifics		Present Nameplate Entry	Detailed Definition (see last page for a general description of each attribute)
					Target / Objectives	Status		
Usage Experience								
Interior Roominess	D	1	Ⓛ ⓐ Ⓒ Ⓜ	Ⓛ ⓐ Ⓒ Ⓜ	Ⓛ ⓐ Ⓒ Ⓜ	Ⓛ ⓐ Ⓒ Ⓜ	Ⓛ ⓐ Ⓒ Ⓜ	Package is top purchase motivator vs. other size SUV's. (Front row = 2nd/3rd row adv. vs. Sub).
Ergonomics / Flexibility / Comfort	D	2	Ⓛ ⓐ Ⓒ Ⓜ	Ⓛ ⓐ Ⓒ Ⓜ	Ⓛ ⓐ Ⓒ Ⓜ	Ⓛ ⓐ Ⓒ Ⓜ	Ⓛ ⓐ Ⓒ Ⓜ	Interior seating/comfort on long trips important.
Luggage / Cargo Space	D	3	Ⓛ ⓐ Ⓒ Ⓜ	Ⓛ ⓐ Ⓒ Ⓜ	Ⓛ ⓐ Ⓒ Ⓜ	Ⓛ ⓐ Ⓒ Ⓜ	Ⓛ ⓐ Ⓒ Ⓜ	Ability to carry BOTH people and cargo is a key segment differentiator.
Durability / Craftsmanship	D	6	Ⓛ ⓐ Ⓒ Ⓜ	Ⓛ ⓐ Ⓒ Ⓜ	Ⓛ ⓐ Ⓒ Ⓜ	Ⓛ ⓐ Ⓒ Ⓜ	Ⓛ ⓐ Ⓒ Ⓜ	Have to deliver tough, capable and adventurous personality.
Quietness	I	8	Ⓛ ⓐ Ⓒ Ⓜ	Ⓛ ⓐ Ⓒ Ⓜ	Ⓛ ⓐ Ⓒ Ⓜ	Ⓛ ⓐ Ⓒ Ⓜ	Ⓛ ⓐ Ⓒ Ⓜ	NVH levels that support premium presence. (5.4L U, 6.8L A, in research).
Ease of Entry / Exit	I	11	Ⓛ ⓐ Ⓒ Ⓜ	Ⓛ ⓐ Ⓒ Ⓜ	Ⓛ ⓐ Ⓒ Ⓜ	Ⓛ ⓐ Ⓒ Ⓜ	Ⓛ ⓐ Ⓒ Ⓜ	Easy access to 3rd row important. (1st row disadv., 2nd/3rd row adv.).
Range / Fuel Economy	G	15	Ⓛ ⓐ Ⓒ Ⓜ	Ⓛ ⓐ Ⓒ Ⓜ	Ⓛ ⓐ Ⓒ Ⓜ	Ⓛ ⓐ Ⓒ Ⓜ	Ⓛ ⓐ Ⓒ Ⓜ	Need competitive FE at minimum, range is key since long trips is a frequent use.
Climate Control	G	17	Ⓛ ⓐ Ⓒ Ⓜ	Ⓛ ⓐ Ⓒ Ⓜ	Ⓛ ⓐ Ⓒ Ⓜ	Ⓛ ⓐ Ⓒ Ⓜ	Ⓛ ⓐ Ⓒ Ⓜ	A comfortable experience for all passengers.
Exterior Visibility	G	20	Ⓛ ⓐ Ⓒ Ⓜ	Ⓛ ⓐ Ⓒ Ⓜ	Ⓛ ⓐ Ⓒ Ⓜ	Ⓛ ⓐ Ⓒ Ⓜ	Ⓛ ⓐ Ⓒ Ⓜ	Maximize visibility to support driving confidence.
Cost of Ownership	G	25	Ⓛ ⓐ Ⓒ Ⓜ	Ⓛ ⓐ Ⓒ Ⓜ	Ⓛ ⓐ Ⓒ Ⓜ	Ⓛ ⓐ Ⓒ Ⓜ	Ⓛ ⓐ Ⓒ Ⓜ	Good value is important, but operating cost is not a high priority like on commercial applications.

FIG. 4A

162 164 66 68 70 Brand Profiler - Continued, 72 78 180

Attribute	Attribute Class	Priority (Rank)	Primary Brand Positioning	Nameplate Brand Positioning	74 Program Specifics		Present Nameplate Entry	Detailed Definition (see last page for a general description of each attribute)
					Target / Objectives	Status 76		
Driving Experience								
Performance / Towing	D	4	L A C M	Ⓛ A C M	L A C M	L A C M	Ⓛ A C U	Full powertrain line-up w/BIC towing (Power & Pick-up on 5.4L U, 6.8L A).
Ride	I	9	L A C M	L A C M	L A C M	L A C M	L A C U	A smooth ride on all surfaces and in all conditions.
Handling	G	16	L A C M	L A C M	L A C M	L A C M	L A C U	Responsive handling that instills confidence.
Braking	G	18	L A C M	L A C M	L A C M	L A C M	Ⓛ A C U	Smooth and predictable braking that delivers confidence.
Steering	G	19	Ⓛ A C M	L A C M	L A C M	L A C M	L A C U	Precise steering that instills confidence.
Transmission Performance	G	21	L A C M	L A C M	L A C M	L A C M	L A C U	Smooth shifting.
Maneuverability	G	23	L A C M	L A C M	L A C M	L A C M	L A C U	Maximize maneuverability without sacrificing capability.
Environmental Responsibility								
Occupant Safety	D	5	Ⓛ A C M	Ⓛ A C M	L A C M	L A C M	L A C U	Important to deliver confidence in any situation & driven by corporate strategy
Occupant Security	I	13	L A C M	L A C M	L A C M	L A C M	L A C U	Features that deliver confidence in any situation.
Vehicle Security	G	22	L A C M	L A C M	L A C M	L A C M	L A C U	
Emissions	G	27	L A C M	Ⓛ A C M	L A C M	L A C M	Ⓛ A C U	Leadership driven by corporate strategy
Recyclability	G	28	L A C M	L A C M	L A C M	L A C M	L A C U	Driven by corporate strategy.
Alternative Fuels/Fluids	G	29	L A C M	Ⓛ A C M	L A C M	L A C M	L A C U	Corporate Environmental stewardship.

FIG. 4B

Brand Profiler - Continued

Attribute	Attribute Class	Priority (Rank)	Primary Brand Positioning	Nameplate Brand Positioning	74 Program Specifics			Present Nameplate Entry	Detailed Definition (see last page for a general description of each attribute)
					Target / Objectives	Status	76		
Special Features									
Innovation	D	7	① A C M	L ① A C M	L A C M	L A C M		① A C U	Functional luxury features consistent with Ford SUV line-up (Rating compared to Suburban only, not with Ford SUV line-up)
Luxury	I	10	① A C M	L ① A C M	L A C M	L A C M		L ① A C U	Functional luxury features consistent with Ford SUV line-up.
Entertainment	I	14	L ① A C M	L A ① C M	L A C M	L A C M		① A C U	Entertainment that enhances premium presence.
Other									
Garagability	G	24	L A ① C M	L A ① C M	L A C M	L A C M		L ① A C U	Minimize height without compromising vehicle capability.
Corporate Safety Image	G	26	L ① A C M	① A C M	L A C M	L A C M		L ① A C U	Systems that enhance the safety of other vehicles/passengers (e.g. Blocker-Beam) (With RPA could move to L).
Design 84	I	12	① A C M	L ① A C M	L A C M	L A C M		L ① A C U	
Sporty				High	10 9 8 7 6 5 ④ 3 2 1	Low			True to Ford SUV heritage.
Youthful				High	10 9 8 7 6 5 4 3 ② 1	Low			
Expressive				High	10 ⑨ 8 7 6 5 4 3 2 1	Low			Size, presence.
Family				High	⑩ 9 8 7 6 5 4 3 2 1	Low			Carries all the people and cargo.
Conservative				High	10 9 8 ⑦ 6 5 4 3 2 1	Low			Down-to-earth, safe, predictable.
Basic				High	10 9 8 7 6 ⑤ 4 3 2 1	Low			Form follows function.
Substantial				High	⑩ 9 8 7 6 5 4 3 2 1	Low			Commanding road presence, dependability.

FIG. 4C

Brand Profiler - Continued											
Attribute		64	66	68	70	72			78	80	
Attribute	Attribute Class	Priority (Rank)	Primary Brand Positioning	Nameplate Brand Positioning			74 Program Specifics			Present Nameplate Entry	Detailed Definition (see last page for a general description of each attribute)
				Target / Objectives	Status	76					
Design	84										
Tough						High	10 ⑨ 8 7 6 5 4 3 2 1	Low		Ultimate capability, rugged.	
Prestigious						High	10 ⑨ 8 7 6 5 4 3 2 1	Low		Proud, significant, ultimate Ford SUV.	
Elegant						High	10 9 8 7 ⑥ 5 4 3 2 1	Low		Limited elegance achieved through interior design.	
Luxurious						High	10 9 8 7 ⑥ 5 4 3 2 1	Low		Functional luxury not lavish design.	

FIG. 4D

62

82

Attribute	Personal Use Profiler
Usage Experience	Definition / Clarification
Interior Roominess	Includes all aspects of the interior that relate to occupant roominess: front and rear head room, leg room, shoulder room, etc.
Ergonomics / Flexibility / Comfort	Thoughtful design, comfort, and ease of use of key touch points (e.g. radio controls, seats, under-hood fluid containers). Devices that increase the flexibility / usability of the vehicle (e.g. tilt steering, additional doors, split-folding rear seats.).
Luggage / Cargo Space	Trunk size, interior stowage (i.e. map pockets), payload and cube space (trucks). Also indicate any customer requirements such as shape of cargo space and loading height and width.
Durability / Craftsmanship	Durability, craftsmanship, ruggedness, reliability, freedom from breakdown, fit and finish.
Quietness	Overall quietness of vehicle including freedom from road, wind, and powertrain noise.
Ease of Entry / Exit	Items related to ease of access: size of door opening, step-up height, grab handles, running boards, etc.
Range / Fuel Economy	Specify relative importance and label vs. real-life-experience.
Climate Control	Heating, air conditioning, ventilation, defrost, and their controls (i.e. separate driver/passenger systems).

FIG. 5A

Attribute	62	82	Definition / Clarification
Usage Experience Cont.			
Exterior Visibility			Visibility from inside outward through windows and mirrors.
Cost of Ownership			Transaction price, resale value, maintenance costs, repair costs, insurance costs.
Driving Experience			
Performance / Towing			How the vehicle reacts when the accelerator is pushed. Indicate if customer needs off-the-line acceleration, highway passing or hauling capability (specify towing/payload capacity).
Ride			How the vehicle drives over different surface conditions and terrain.
Handling			How the vehicle reacts when cornering, vehicle traction, 4x4 operation and ground clearance.
Braking			Responsiveness and performance of brakes.
Steering			Responsiveness of steering and sensitivity to the road (i.e. does the steering wheel transmit a clear signal to the driver of where they are going).
Transmission Performance			Smoothness of shifting, ease of changing from gear to gear.
Maneuverability			Ease of turning into tight spaces including turning radius, visibility and ease of steering.
Environmental Responsibility			
Occupant Safety			Features to negate the consequences of a collision (e.g. airbags) or to prevent a collision (e.g. ABS).
Occupant Security			Features that protect the driver and passengers from other people (e.g. remote keyless entry).
Vehicle Security			Devices that deter theft and vandalism of the vehicle itself, items inside the vehicle and vehicle parts.
Emissions			Greenhouse gases, smog-related, refueling vapors, other vapors, EMC, pass-by-noise.
Recyclability			Recyclable material labeling and use, use of post-consumer materials.
Alternative Fuels / Fluids			Use of fuel source other than fossil, convenience of re-fueling (access, speed) biodegradable fluids.
Special Features			
Innovation			Technical innovations to enhance the driving experience (e.g. navigation aids and built-in cellular phones).
Luxury			Unique items that add a feeling of luxuriousness and status to the vehicle (i.e. heated seats, woodgrain dash).

FIG. 5B

Attribute 62	82	Definition / Clarification
Special Features Cont.		
Entertainment		All entertainment related features within the vehicle (i.e. CD player, cassette).
Other		
Garagability		Example - Team defines "Other" attributes.
Corporate Safety Image		Example - Team defines "Other" attributes.
Design		
Sporty		Athletic, muscular, vigorous, powerful, strong, sport association, suggesting movement and dynamism, excitement. Tready stance, road hugging, emphasis on mechanical components and engine compartment size.
Youthful		Active, fresh, spry, vigorous, agile, enthusiastic, lithe, sexy, fun, stylish, charismatic, athletic, lean.
Expressive		Unexpected, inspiring, forceful, distinct, independent, audacious, daring, fearless. Design that commands attention through scale, color, uniqueness, proportions, texture and graphics. Have dominant theme throughout.
Family		Roomy, spacious, easy to use, safe/secure, non-aggressive, quiet, understated, universal. Relatively large passenger and cargo areas, functional and safe looking design elements.
Conservative		Traditional, reasonable, evolutionary, cautious, preserving the essence, down-to-earth, safe, predictable. Slight modifications to design elements seen before.
Basic		Simple, sound, clear, uncluttered, pure, clean, unspoiled, geometric, machined, affordable, brutal, Bauhaus, form follows function. Displaying uncomplicated geometric forms, graphics and textures.
Substantial		Robust, bold, heavy, long-lasting, durable, functional, enduring, sturdy. Low visual center of gravity, large stable mass, positive powerful sections.
Tough		Solid, strong, firm, rugged, hard, vigorous, sturdy, durable, purposeful/attitude.
Prestigious		Significant, famous, proud, dignified, reputable. Prestige earned through looks, technical achievement, tradition. Emulate design elements that have achieved the status of prestige on other cars or products.
Elegant		Flowing lines, subtle, shaped, sculpted, beautiful, pleasing, sensual, sophisticated. Incorporating elements of expensive and upscale automobiles, also expressed in materials, proportions, graphics.
Luxurious		Rich, sumptuous, comfortable, extravagant, opulent, lavish, detailed, precious materials, individual, crafted, handmade, custom built, highest levels of creature comfort.

FIG. 5C

90 Brand Profiler - Continued

Attribute	Attribute Class	Priority (Rank)	Primary Brand Positioning	Nameplate Brand Positioning	Program Specifics		Present Nameplate Entry	Detailed Definition (see last page for a general description of each attribute)
					Target / Objectives	Status		
Usage Experience - Cab			L A C M	L A C M	L A C M	L A C M	L A C U	
Interior Roominess			L A C M	L A C M	L A C M	L A C M	L A C U	
Climate Control			L A C M	L A C M	L A C M	L A C M	L A C U	
Ergonomics / Flexibility / Comfort			L A C M	L A C M	L A C M	L A C M	L A C U	
Ease of Entry / Exit			L A C M	L A C M	L A C M	L A C M	L A C U	
Exterior Visibility			L A C M	L A C M	L A C M	L A C M	L A C U	
Stowage			L A C M	L A C M	L A C M	L A C M	L A C U	
Usage Experience - Load Box								
Length			L A C M	L A C M	L A C M	L A C M	L A C U	
Width			L A C M	L A C M	L A C M	L A C M	L A C U	
Cube / Height			L A C M	L A C M	L A C M	L A C M	L A C U	
Payload			L A C M	L A C M	L A C M	L A C M	L A C U	
Access			L A C M	L A C M	L A C M	L A C M	L A C U	
Ergonomics / Flexibility / Comfort			L A C M	L A C M	L A C M	L A C M	L A C U	
Ease of Modification			L A C M	L A C M	L A C M	L A C M	L A C U	
Usage Experience - Total Vehicle								
Cost of Ownership			L A C M	L A C M	L A C M	L A C M	L A C U	

FIG.6A

Brand Profiler - Continued

Attribute	Attribute Class	Priority (Rank)	Primary Brand Positioning	Nameplate Brand Positioning	Program Specifics		Present Nameplate Entry	Detailed Definition (see last page for a general description of each attribute)
					Target / Objectives	Status		
Usage Experience - Total Vehicle Continued								
Craftsmanship			L A C M	L A C M	L A C M	L A C M	L A C U	
Durability			L A C M	L A C M	L A C M	L A C M	L A C U	
Fuel Economy / Range			L A C M	L A C M	L A C M	L A C M	L A C U	
Quietness			L A C M	L A C M	L A C M	L A C M	L A C U	
Serviceability			L A C M	L A C M	L A C M	L A C M	L A C U	
Driving Experience								
Performance / Responsiveness			L A C M	L A C M	L A C M	L A C M	L A C U	
Handling			L A C M	L A C M	L A C M	L A C M	L A C U	
Maneuverability			L A C M	L A C M	L A C M	L A C M	L A C U	
Braking			L A C M	L A C M	L A C M	L A C M	L A C U	
Ride			L A C M	L A C M	L A C M	L A C M	L A C U	
Steering			L A C M	L A C M	L A C M	L A C M	L A C U	
Transmission Performance			L A C M	L A C M	L A C M	L A C M	L A C U	
Environmental Responsibility								
Occupant Safety & Security			L A C M	L A C M	L A C M	L A C M	L A C U	
Content Security			L A C M	L A C M	L A C M	L A C M	L A C U	
Vehicle Security			L A C M	L A C M	L A C M	L A C M	L A C U	

FIG.6B

Brand Profiler - Continued

90

Attribute	Attribute Class	Priority (Rank)	Primary Brand Positioning	Nameplate Brand Positioning	Program Specifics		Present Nameplate Entry	Detailed Definition (see last page for a general description of each attribute)
					Target / Objectives	Status		
Environmental Responsibility Continued								
Emissions			L A C M	L A C M	L A C M	L A C M	L A C U	
Recyclability			L A C M	L A C M	L A C M	L A C M	L A C U	
Alternative Fuels / Fluids			L A C M	L A C M	L A C M	L A C M	L A C U	
Special Features			L A C M	L A C M	L A C M	L A C M	L A C U	
Entertainment / Luxury			L A C M	L A C M	L A C M	L A C M	L A C U	
Innovation			L A C M	L A C M	L A C M	L A C M	L A C U	
Other								
			L A C M	L A C M	L A C M	L A C M	L A C U	
			L A C M	L A C M	L A C M	L A C M	L A C U	
Design								
Expressive				High	10 9 8 7 6 5 4 3 2 1	Low		
Conservative				High	10 9 8 7 6 5 4 3 2 1	Low		
Basic				High	10 9 8 7 6 5 4 3 2 1	Low		
Substantial				High	10 9 8 7 6 5 4 3 2 1	Low		
Tough				High	10 9 8 7 6 5 4 3 2 1	Low		
Prestigious				High	10 9 8 7 6 5 4 3 2 1	Low		
Functional				High	10 9 8 7 6 5 4 3 2 1	Low		
				High	10 9 8 7 6 5 4 3 2 1	Low		

FIG.6C

Attribute	Commercial Vehicle Profiler Definition / Clarification
Usage Experience - Cab	
Interior Roominess	Includes all aspects of the interior that relate to occupant roominess: front and rear head room, leg room, shoulder room, etc.
Climate Control	Heating, air conditioning, ventilation, defrost and their controls.
Ergonomics / Flexibility / Comfort	Thoughtful design, comfort and ease of use of key touch points (e.g. radio controls, seats). Devices that increase the flexibility/usability of the vehicle (e.g. tilt steering).
Ease Of Entry / Exit	Self defining.
Exterior Visibility	Self defining.
Stowage	Storage places in the cab for non-cargo items (i.e. map pockets and glove boxes).
Usage Experience - Load Box	
Length	Self defining.
Width	Self defining.
Cube / Height	Self defining.
Payload	Self defining.
Access	Ability to access cargo; includes such characteristics as floor height, door opening size and configuration of load box.
Ergonomics / Flexibility / Comfort	Thoughtful design, comfort and ease of use of key touch points such as control levers and tie-down straps. For people-carrying vehicles this includes the comfort and flexibility of the passenger areas.
Ease of Modification	Ability of aftermarket companies to add parts, increase functionality, or modify the vehicle to suit different customer needs.
Usage Experience - Total Vehicle	
Cost of Ownership	Transaction price, resale value, maintenance costs, repair costs, insurance costs.
Craftsmanship	Build, fit and finish.
Durability	Ruggedness, reliability, freedom from breakdown.

FIG.7A

Attribute	92	Definition / Clarification
Usage Experience - Total Vehicle Continued		
Fuel Economy / Range		Self defining.
Quietness		Overall quietness of vehicle including freedom from road, wind, and powertrain noise.
Serviceability		Speed of, frequency of, and ease of repair and the ability to find adequate repair facilities.
Driving Experience		
Performance / Responsiveness		How the vehicle reacts when the accelerator is pushed. Indicate if customer needs off-the-line acceleration, highway passing or hauling capability (specify towing/payload capacity).
Handling		How the vehicle reacts when cornering, vehicle traction, 4x4 operation and ground clearance.
Maneuverability		Ease of turning into tight spaces including turning radius, visibility and ease of steering.
Braking		Responsiveness and performance of brakes.
Ride		How the vehicle drives over different surface conditions and terrain.
Steering		Responsiveness of steering and sensitivity to the road (i.e. does the steering wheel transmit a clear signal to the driver of where they are going).
Transmission Performance		Smoothness of shifting, ease of changing from gear to gear.
Environmental Responsibility		
Occupant Safety & Security		Features to negate the consequences of a collision (e.g. airbags) or to prevent a collision (e.g. ABS) and those that protect the driver and passengers from thieves (e.g. remote keyless entry).
Contents Security		Those devices that protect the cargo of the vehicle from theft or damage.
Vehicle Security		Devices that deter theft and vandalism of the vehicle itself, items inside the vehicle, and vehicle parts.
Emissions		Greenhouse gases, smog-related, refueling vapors, other vapors, EMC, pass-by-noise.
Recyclability		Recycle material labeling and use, use of post-consumer materials.
Alternative Fuels / Fluids		Use of fuel source other than fossil, convenience of re-fueling (access, speed) biodegradable fluids.

FIG.7B

Attributes	92	Definition / Clarification
Special Features		
Entertainment / Luxury		Unique items that provide entertainment or add a feeling of luxuriousness and status to the vehicle (i.e. heated seats, woodgrain dash).
Innovation		Technical innovations to enhance the operating experience (e.g. navigation aids and built-in cellular phones).
Other		
		Self defining.
		Self defining.
Design		
Expressive		Unexpected, inspiring, forceful, distinct, independent, audacious, daring, fearless. Design that commands attention through scale, color, uniqueness, proportions, texture and graphics. Have dominant theme throughout. Audi TT, Dodge Viper, Jaguar XJS.
Conservative		Traditional, reasonable, evolutionary, cautious, preserving the essence, down-to-earth, safe, predictable. Slight modifications to design elements seen before GM J Car, Toyota Corolla, VW Jetta.
Basic		Simple, sound, clear, uncluttered, pure, clean, unspoiled, geometric, machined, affordable, brutal, Bauhaus, form follows function. Displaying uncomplicated geometric forms graphics and textures. Citroen 2CV, Fiat Panda, Jeep, VW Concept.
Substantial		Robust, bold, heavy, long-lasting, durable, functional, enduring, sturdy. Low visual center of gravity, large stable mass, positive powerful sections. Audi Range, A4, Lexus GS300, DEW98, Explorer.
Tough		Solid, strong, firm, rugged, hard, vigorous, sturdy, durable, purposeful/attitude. F-Series.
Prestigious		Significant, famous, proud, dignified, reputable. Prestige earned though looks, technical achievement, tradition. Emulate design elements that have achieved the status of prestige on other cars or products. Town Car, Cadillac, Rolls Royce.
Functional		Purposeful, form follows function, style is a statement of function of the vehicle, expressed in materials, proportions, graphics.

FIG.7C

DECLARATION AND POWER OF ATTORNEY - ORIGINAL APPLICATION

Attorney's Docket No.
199-1135

As a below named inventor, I hereby declare:

My residence, post office address and citizenship are as stated below next to my name;

I verily believe I am the original, first and sole inventor or an original, first and joint inventor of the subject matter that is claimed and for which a patent is sought on the invention entitled

METHOD OF PROFILING NEW VEHICLES AND IMPROVEMENTS

the specification of which is attached hereto.

I have reviewed and understand the contents of the specification identified above, including the claims.

I acknowledge my duty to disclose information of which I am aware that is material to the examination of this application in accordance with Section 1.56(a), Title 37 of the Code of Federal Regulations; and

as to application for patents or inventor's certificate on the invention filed in any country foreign to the United States of America, prior to this application by me or my legal representatives or assigns,

☒ no such applications have been filed, or

☐ such applications have been filed as follows:

COUNTRY	APPLICATION NO.	DATE OF FILING (day, month, year)	DATE OF ISSUE (day, month, year)	PRIORITY CLAIMED UNDER 35 USC 119

I hereby claim the benefit under 35 U.S.C. § 120 of any United States application(s) or § 365(c) of any PCT International application designating the United States, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of 35 U.S.C. § 112, I acknowledge the duty to disclose information which is material to patentability as defined in 37 CFR § 1.56 which became available between the filing date of the prior application and the national or PCT International filing date of this application.

(Application Number)

(Filing Date)

(Status - patented, pending, abandoned)

(Application Number)

(Filing Date)

(Status - patented, pending, abandoned)

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the United States Patent and Trademark Office connected therewith and to act on my behalf before the competent International Authorities in connection with any and all international applications filed by me.

(List name and registration number)

Robert P. Renke - 40,783

John A. Artz - 25,824

Jerome R. Drouillard - 28,008


Roger L. May - 26,406

Address all correspondence and telephone calls to:

Robert P. Renke
Lyon & Artz PLC
28333 Telegraph Road
Southfield, MI 48034

Phone: 248 223-9500

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application or any patent issuing thereon.


NAME AND POST OFFICE ADDRESS OF INVENTOR:	RESIDENCE	Citizenship	SIGNATURE	DATE
Andrew Sarkisian 3398 Tiquewood Circle Commerce Twp., MI 48382 US	Commerce Twp., MI 48382 US	U.S.A		8/12/99
John V. Felce 29777 Kenloch Drive Farmington Hills, MI 48331 US	Farmington Hills, MI 48331 US	U.S.A		
James C. Schroer 5639 Carrollton Court Rochester Hills, MI 48306 US	Rochester Hills, MI 48306 US	U.S.A		
John Williamson 2836 Robal Court Saline, MI 48176 US	Saline, MI 48176 US	U.S.A		
Richard E. Van House 710 Barclay Court Ann Arbor, MI 48105 US	Ann Arbor, MI 48105 US	U.S.A		
Thom F. Foxlee 54620 Arrowhead Drive Shelby Township, MI 48315 US	Shelby Township, MI 48315 US	U.S.A		

Address all correspondence and telephone calls to:

Robert P. Renke
Lyon & Artz PLC
28333 Telegraph Road
Southfield, MI 48034

Phone: 248 223-9500

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application or any patent issuing thereon.


NAME AND POST OFFICE ADDRESS OF INVENTOR:	RESIDENCE	Citizenship	SIGNATURE	DATE
Andrew Sarkisian 3398 Tiquewood Cricle Commerce Twp., MI 48382 US	Commerce Twp., MI 48382 US	U.S.A		
John V. Felice 29777 Kenloch Drive Farmington Hills, MI 48331 US	Farmington Hills, MI 48331 US	U.S.A		8/16/99
James C. Schroer 5639 Carrollton Court Rochester Hills, MI 48306 US	Rochester Hills, MI 48306 US	U.S.A		
John Williamson 2836 Robal Court Saline, MI 48176 US	Saline, MI 48176 US	U.S.A		
Richard E. Van House 710 Barclay Court Ann Arbor, MI 48105 US	Ann Arbor, MI 48105 US	U.S.A		
Thom F. Foxlee 54620 Arrowhead Drive Shelby Township, MI 48315 US	Shelby Township, MI 48315 US	U.S.A		

Address all correspondence and telephone calls to:

Robert P. Renke
Lyon & Artz PLC
28333 Telegraph Road
Southfield, MI 48034

Phone: 248 223-9500

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application or any patent issuing thereon.

NAME AND POST OFFICE ADDRESS OF INVENTOR:	RESIDENCE	Citizenship	SIGNATURE	DATE
Andrew Sarkisian 3398 Tiquewood Cricle Commerce Twp., MI 48382 US	Commerce Twp., MI 48382 US	U.S.A		
John V. Felice 29777 Kenloch Drive Farmington Hills, MI 48331 US	Farmington Hills, MI 48331 US	U.S.A		
James C. Schroer 5639 Carrollton Court Rochester Hills, MI 48306 US	Rochester Hills, MI 48306 US	U.S.A		9/2/99
John Williamson 2836 Robal Court Saline, MI 48176 US	Saline, MI 48176 US	U.S.A		
Richard E. Van House 710 Barclay Court Ann Arbor, MI 48105 US	Ann Arbor, MI 48105 US	U.S.A		
Thom F. Foxlee 54620 Arrowhead Drive Shelby Township, MI 48315 US	Shelby Township, MI 48315 US	U.S.A		

661160" 55456660

Address all correspondence and telephone calls to:

Robert P. Renke
Lyon & Artz PLC
28333 Telegraph Road
Southfield, MI 48034

Phone: 248 223-9500

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application or any patent issuing thereon.

NAME AND POST OFFICE ADDRESS OF INVENTOR:	RESIDENCE	Citizenship	SIGNATURE	DATE
Andrew Sarkisian 3398 Tiquewood Circle Commerce Twp., MI 48382 US	Commerce Twp., MI 48382 US	U.S.A		
John V. Felice 29777 Kenloch Drive Farmington Hills, MI 48331 US	Farmington Hills, MI 48331 US	U.S.A		
James C. Schroer 5639 Carrollton Court Rochester Hills, MI 48306 US	Rochester Hills, MI 48306 US	U.S.A		
John Williamson 2836 Robal Court Saline, MI 48176 US	Saline, MI 48176 US	U.S.A	<i>John A. Williamson</i>	8-12-99
Richard E. Van House 710 Barclay Court Ann Arbor, MI 48105 US	Ann Arbor, MI 48105 US	U.S.A		
Thom F. Foxlee 54620 Arrowhead Drive Shelby Township, MI 48315 US	Shelby Township, MI 48315 US	U.S.A		

Address all correspondence and telephone calls to:

Robert P. Renke
Lyon & Artz PLC
28333 Telegraph Road
Southfield, MI 48034

Phone: 248 223-9500

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application or any patent issuing thereon.


NAME AND POST OFFICE ADDRESS OF INVENTOR:	RESIDENCE	Citizenship	SIGNATURE	DATE
Andrew Sarkisian 3398 Tiquewood Circle Commerce Twp., MI 48382 US	Commerce Twp., MI 48382 US	U.S.A		
John V. Felice 29777 Kenloch Drive Farmington Hills, MI 48331 US	Farmington Hills, MI 48331 US	U.S.A		
James C. Schroer 5639 Carrollton Court Rochester Hills, MI 48306 US	Rochester Hills, MI 48306 US	U.S.A		
John Williamson 2836 Robal Court Saline, MI 48176 US	Saline, MI 48176 US	U.S.A		
Richard E. Van House 710 Barclay Court Ann Arbor, MI 48105 US	Ann Arbor, MI 48105 US	U.S.A	<i>Richard E. Van House</i>	<i>8/13/99</i>
Thom F. Foxlee 54620 Arrowhead Drive Shelby Township, MI 48315 US	Shelby Township, MI 48315 US	U.S.A		

Address all correspondence and telephone calls to:

Robert P. Renke
 Lyon & Artz PLC
 28333 Telegraph Road
 Southfield, MI 48034

Phone: 248 223-9500

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application or any patent issuing thereon.

NAME AND POST OFFICE ADDRESS OF INVENTOR:	RESIDENCE	Citizenship	SIGNATURE	DATE
Andrew Sarkisian 3398 Tiquewood Cricle Commerce Twp., MI 48382 US	Commerce Twp., MI 48382 US	U.S.A		
John V. Felice 29777 Kenloch Drive Farmington Hills, MI 48331 US	Farmington Hills, MI 48331 US	U.S.A		
James C. Schroer 5639 Carrollton Court Rochester Hills, MI 48306 US	Rochester Hills, MI 48306 US	U.S.A		
John Williamson 2836 Robal Court Saline, MI 48176 US	Saline, MI 48176 US	U.S.A		
Richard E. Van House 710 Barclay Court Ann Arbor, MI 48105 US	Ann Arbor, MI 48105 US	U.S.A		
Thom F. Foxlee 54620 Arrowhead Drive Shelby Township, MI 48315 US	Shelby Township, MI 48315 US	U.S.A		8/12/99